



# IS IT FLU, COVID-19, ALLERGIES, OR A COLD?

## STAYING HEALTHY THIS WINTER

Nina Gallauresi, Executive Director, MHBP

**F**eeling sick can be especially concerning these days. Could your sniffles be caused by COVID-19? Or the flu? A cold? Or maybe allergies?

Determining the cause of an illness can be tricky because many share some symptoms. They can leave you sniffling, coughing, and feeling tired. But there are important differences.

Figuring out what's making you sick can help you recover and prevent spreading sickness to others.

### FLU VS COVID-19

"Distinguishing COVID from flu can be difficult because the symptoms overlap so much," explains Dr. Brooke Bozick, an NIH expert on respiratory diseases that affect the lungs.

Flu and COVID-19 are caused by different viruses that can be spread among people. Flu is caused by the influenza virus. COVID-19 is caused by SARS-CoV-2. Both can give you a fever, cough, headaches, and body aches.

Flu and COVID-19 also spread similarly. They're transmitted by small particles that come from your nose and mouth when you sneeze, cough, sing, or talk, raising the possibility of infecting people who are nearby. Infected people may not have symptoms, but can still pass along either virus.

"Both influenza and COVID can be spread to other people before individuals develop symptoms," notes Dr. Aubree Gordon, an infectious disease expert at the University of Michigan.

COVID-19 symptoms can take longer than flu symptoms to develop, she explains. Someone with flu usually has symptoms 1 to 4 days after being infected. A person with COVID-19 typically shows symptoms about 5 days after infection, although this can range from 2 to 14 days.

One telling sign of COVID-19 in some cases is loss of smell or taste. But because of other similar symptoms, there's really only one way to be certain if you have COVID-19 or flu: Get tested.

"You can go and get a COVID test at many pharmacies, and your doctor can administer tests for flu," Bozick says. COVID-19 tests are also available at many health centers. And you can buy testing kits approved for use at home.

### COULD IT BE A COLD? OR ALLERGIES?

Like flu and COVID-19, colds are also caused by viruses and can be passed to others.

Symptoms of a cold tend to be mild. You may have a runny nose, cough, congestion, and sore throat. But you won't usually have the aches and fever that are common with COVID-19 and flu. Often, you'll feel better in a couple of days.

There's no cure for the common cold. Typical treatments include rest, fluids, and over-the-counter medicines. Some complementary treatments may help with cold symptoms, too. Taking honey may help with nighttime cough for children over 1 year old. Rinsing your nose and sinuses can help with congestion. You can use a neti pot or other nasal rinsing device. Be sure to only use water that's been properly processed, such as distilled or boiled water, not tap water. Nasal rinses can bring relief for both cold and allergies.

Allergies can cause a runny nose and sneezing. But they're not contagious. If your eyes, nose, or ears itch, that also could be an allergy.

Exposure to things like dust, pets, and tree or grass pollen can trigger allergies, which are caused by the immune system overreacting.

Allergy symptoms tend to stop when you're no longer exposed to the cause. Unless you have asthma, allergies typically do not cause breathing problems. Allergies can be treated with drugs like antihistamines, decongestants, and nasal steroids.

### WINTER MIX OF VIRUSES

Winter is the prime cold and flu season. You're more likely to be indoors and closer to others when it's colder outside. Weather also plays a role in the spread of viruses.

"Cold and flu viruses survive better and are more transmissible if it's cooler and if there's lower humidity," Gordon explains.

Experts are concerned that flu and COVID-19 cases may increase and overlap in the winter. Flu cases usually start to increase around October and peak between December and February. Being infected with flu and SARS-CoV-2 at the same time is possible, as is showing symptoms of both.

If you're sick with the flu, your doctor may prescribe antiviral drugs. Such drugs can make your flu milder and shorten the time you are sick. They work best if they're used early in your illness.

The FDA has also approved one antiviral drug, called remdesivir, to treat COVID-19. Other treatments are in development and under review. No complementary approaches have been shown to be helpful for fighting off flu or COVID-19.

Fortunately, strategies to prevent the spread of COVID-19 also prevent the spread of flu and cold. “Measures like masking and social distancing work for other respiratory viruses, as well as COVID-19,” says Dr. Chip Walter, who studies vaccine development at Duke University.

STAYING WELL

There’s another really important way to fight viruses. “Get your flu shot and COVID-19 vaccine,” Walter advises. They are safe and effective ways to protect yourself and those around you.

Don’t forget to vaccinate your children, too. That is the best way to protect their health. COVID-19 vaccines are now recommended for everyone age 5 years and older.

Flu vaccines are recommended for everyone 6 months and older. Flu vaccines are designed to protect against the four types of flu viruses that scientists expect to circulate that year.

Researchers like Walter and others are working to develop flu vaccines that last longer and offer broader protection against many flu strains.

Masks continue to be an important tool for stopping the spread of respiratory viruses, such as COVID-19. “With the

pandemic still ongoing, it’s going to be really important that people wear masks,” Gordon says. Try to avoid crowded indoor situations when possible, too.

STAY WELL THIS WINTER

Tips to help you avoid getting sick:

- **Get a flu shot and COVID-19 vaccine.**
- **Avoid close contact with people who are sick.** If you’re sick, limit contact with others to keep from infecting them.
- **Cover coughs and sneezes.** Cover your nose and mouth with a tissue when you cough or sneeze. Throw the tissue in the trash after you use it.
- **Wash your hands often with soap and water.** Scrub your hands for at least 20 seconds. Not sure how long that is? Hum Happy Birthday twice. Be sure to lather the backs of your hands, between your fingers, and under your nails.
- **Use hand sanitizer if soap and water are not available.**
- **Avoid touching your eyes, nose, and mouth.** Germs spread this way.
- **Clean and disinfect surfaces and objects** that may be contaminated with viruses.

COMPARING COLD, FLU, ALLERGIES, AND COVID-19

SYMPTOMS	COLD	FLU	AIRBORNE ALLERGY	COVID-19
Fever	Rare	Usual, high (100–102 °F), sometimes higher, especially in young children); lasts 3–4 days	Never	Common
Headache	Uncommon	Common	Uncommon	Common
General Aches, Pains	Slight	Usual; often severe	Never	Common
Fatigue, Weakness	Sometimes	Usual, can last up to 3 weeks	Sometimes	Common
Extreme Exhaustion	Never	Usual, at the beginning of the illness	Never	Common
Stuffy, Runny Nose	Common	Sometimes	Common	Common
Sneezing	Usual	Sometimes	Usual	Rarely
Sore Throat	Common	Sometimes	Sometimes	Common
Cough	Common	Common, can become severe	Sometimes	Common, dry cough
Chest Discomfort	Mild to moderate	Common	Rare, except for those with allergic asthma	Common; can cause trouble breathing or persistent pain or pressure in the chest that calls for immediate emergency care
Loss of Taste or Smell	Rarely	Rarely	Rarely	Common

## TREATMENT

COLD	FLU	AIRBORNE ALLERGY	COVID-19
<ul style="list-style-type: none"> <li>• Get plenty of rest.</li> <li>• Stay hydrated. (Drink plenty of fluids.)</li> <li>• Decongestants.</li> <li>• Aspirin (ages 18 and up), acetaminophen, or ibuprofen for aches and pains</li> </ul>	<ul style="list-style-type: none"> <li>• Get plenty of rest.</li> <li>• Stay hydrated.</li> <li>• Aspirin (ages 18 and up), acetaminophen, or ibuprofen for aches, pains, and fever</li> <li>• Antiviral medicines (see your doctor)</li> </ul>	<ul style="list-style-type: none"> <li>• Avoid allergens (things that you're allergic to)</li> <li>• Antihistamines</li> <li>• Nasal steroids</li> <li>• Decongestants</li> </ul>	<ul style="list-style-type: none"> <li>• NIH has developed guidance on treatment of COVID-19, which is regularly updated. The FDA has approved one drug, remdesivir, to treat COVID-19.</li> </ul>

## PREVENTION

COLD	FLU	AIRBORNE ALLERGY	COVID-19
<ul style="list-style-type: none"> <li>• Wash your hands often.</li> <li>• Avoid close contact with anyone who has a cold.</li> </ul>	<ul style="list-style-type: none"> <li>• Get the flu vaccine each year.</li> <li>• Wash your hands often.</li> <li>• Avoid close contact with anyone who has the flu.</li> </ul>	<ul style="list-style-type: none"> <li>• Avoid allergens, such as pollen, house dust mites, mold, pet dander, cockroaches.</li> </ul>	<ul style="list-style-type: none"> <li>• Get the COVID-19 vaccine, recommended for everyone age 5 and older. Wear a mask in indoor public places. Avoid crowds. Wash your hands often and avoid touching your eyes, nose, and mouth. Get tested if you think you might have COVID-19.</li> </ul>

## COMPLICATIONS

COLD	FLU	AIRBORNE ALLERGY	COVID-19
<ul style="list-style-type: none"> <li>• Sinus infection middle ear infection, asthma</li> </ul>	<ul style="list-style-type: none"> <li>• Bronchitis, pneumonia; can be life-threatening</li> </ul>	<ul style="list-style-type: none"> <li>• Sinus infection, middle ear infection, asthma</li> </ul>	<ul style="list-style-type: none"> <li>• Pneumonia, respiratory failure, acute respiratory distress syndrome (fluid in lungs), sepsis, cardiac events (e.g., heart attack and stroke), multiple organ failure, inflammation of the heart, brain, or muscle tissue, death</li> </ul>



WASH  
HANDS



DISINFECT  
SURFACES



DISINFECT  
HANDS



USE  
FACE MASK



USE  
RUBBER GLOVES

### MHBP RESOURCES TO ASSIST YOU

MHBP offers a \$50 wellness incentive for the COVID -19 Vaccine Incentive to members, 18 years and older. If you have any questions or would like more information about how to get a COVID-19 vaccine, COVID testing or treatment, or wellness rewards please call MHBP at 800-410-7778.

Also, MHBP covers the flu vaccine at no cost to you when rendered by a network provider or a vaccine network pharmacy. Your health matters and we are here to help. If you need help locating a provider, use the Find a Provider tool on MHBP.com.

If you have a health concern or need advice on what to do and where to go, MHBP offers a 24/7 Nurse Line. Call 800-556-1555.

If you have any questions or would like more information, please call MHBP at 800-410-7778.

#### Sources:

- National Institutes of Health: <https://newsinhealth.nih.gov/>
- MHBP.com